

9/767754

WEST Search History

DATE: Sunday, December 28, 2003

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
	<i>DB=EPAB,JPAB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L46	L44 and (select\$ same dimension\$)	7
<input type="checkbox"/>	L45	L44 and (select\$ same package)	0
<input type="checkbox"/>	L44	L42 and (design\$ with dimension\$)	20
<input type="checkbox"/>	L43	L42 and (select\$ with package)	3
<input type="checkbox"/>	L42	((Internet or online or web or www) same (design\$ with order\$))	544
<input type="checkbox"/>	L41	L31	0
<input type="checkbox"/>	L40	l33	0
<input type="checkbox"/>	L39	((Internet or online or web or www) same (design\$ with order\$))and (select\$ same (package same dimension\$))	1
	<i>DB=PGPB,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L38	L37 and (select\$ with package)	10
<input type="checkbox"/>	L37	((Internet or online or web or www) same (design\$ with order\$))and (select\$ same (package same dimension\$))	11
<input type="checkbox"/>	L36	=20010122	0
	<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L35	L34 and (select\$ with (package or dimension\$))	1
<input type="checkbox"/>	L34	L33 and dimension	3
<input type="checkbox"/>	L33	L32 and l31	31
<input type="checkbox"/>	L32	705/26,27.ccls.	1061
<input type="checkbox"/>	L31	=20010122	1194
<input type="checkbox"/>	L30	=20010122	3984
	<i>DB=PGPB,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L29	L18 or l16	5
	<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L28	L25 and interact\$	1
<input type="checkbox"/>	L27	L25 and ((recommend\$ or referral\$) with tracking)	1
<input type="checkbox"/>	L26	L25 and collaborat\$	1
<input type="checkbox"/>	L25	6029141.pn.	1
<input type="checkbox"/>	L24	L23 and collaborat\$	2
<input type="checkbox"/>	L23	L20 and ((recommend\$ or referral\$) with tracking)	2
<input type="checkbox"/>	L22	L21 and ((recommend\$ or referral\$) with tracking)	0

<input type="checkbox"/>	L21	L20 and (link\$ same applet)	4
		<i>DB=USPT,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L20	L2 and (interact\$ with user\$)	36
		<i>DB=EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L19	L2 and (interact\$ with user\$)	0
<input type="checkbox"/>	L18	L17 and database	3
<input type="checkbox"/>	L17	(recommend\$ or referral\$) and collaborat\$	41
<input type="checkbox"/>	L16	(track\$ and (recommend\$ or referral\$)) and collaborat\$	2
<input type="checkbox"/>	L15	(track\$ and database and (recommend\$ or referral\$)) and collaborat\$	0
<input type="checkbox"/>	L14	(track\$ same database same (recommend\$ or referral\$)) and collaborat\$	0
<input type="checkbox"/>	L13	=20001201	0
		<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L12	L11 and (refer\$ or recommend\$)	1
<input type="checkbox"/>	L11	6463352.pn.	1
<input type="checkbox"/>	L10	L9 and (link\$ and applet)	2
<input type="checkbox"/>	L9	L8 and (brows\$ or surf\$)	6
<input type="checkbox"/>	L8	=20001201	7
<input type="checkbox"/>	L7	L6 and collaborat\$	4
<input type="checkbox"/>	L6	6519571.pn. or 6295513.pn. or 6144991.pn. or 5987440.pn.	4
<input type="checkbox"/>	L5	L4 and first and second	4
<input type="checkbox"/>	L4	l2 and (link\$ same applet)	4
<input type="checkbox"/>	L3	L2 and (track\$ with server)	17
<input type="checkbox"/>	L2	L1 and (brows\$ or surf\$)	49
<input type="checkbox"/>	L1	=20001201	62

END OF SEARCH HISTORY

First Hit



Generate Collection

Print

L46: Entry 3 of 7

File: JPAB

Apr 14, 1998

PUB-NO: JP410097558A

DOCUMENT-IDENTIFIER: JP 10097558 A

TITLE: STRUCTURING SYSTEM DEVICE FOR ARCHITECTURE AND LIVING RELATIVE FIXTURE
LAYOUT DESIGN AND ITS RELATIVE DATA BY INTERNET

PUBN-DATE: April 14, 1998

INVENTOR-INFORMATION:

NAME

COUNTRY

KOBAYASHI, HIDEZO

ENDO, SHUICHI

ASSIGNEE-INFORMATION:

NAME

COUNTRY

KK MIBUNRI

APPL-NO: JP08250261

APPL-DATE: September 20, 1996

INT-CL (IPC): G06 F 17/50

ABSTRACT:

PROBLEM TO BE SOLVED: To provide a structuring system device for architecture and living relative fixture layout design and the relative data by the internet by which a person who has no technical knowledge easily and joyfully makes a house having the same design and relative data by selecting the best architecture and living relative fixture layout design and its relative data in consideration of his or her desire and also the generated design and relative data is ordered to an outside company immediately.

SOLUTION: Various image patterns and their relative data in a server 1 are sent to an individual computer 3 through the internet 2, image patterns which are selected out of the sent image patterns are combined to generate a design image for two-dimensional architecture and living relative fixture arrangement, and a three-dimensional design image is generated from the two-dimensional design image. This three-dimensional design image is sent as order information to the server 1 together with the relative data subjected to an altering processing at need.

COPYRIGHT: (C)1998,JPO

First Hit

☐ [Generate Collection](#) [Print](#)

L46: Entry 5 of 7

File: DWPI

Nov 8, 2001

DERWENT-ACC-NO: 2002-223492
DERWENT-WEEK: 200228
COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Customized ordering system and method using three-dimensional body type information

INVENTOR: MIN, K W

PATENT-ASSIGNEE: MIN K W (MINKI)

PRIORITY-DATA: 2000KR-0021727 (April 24, 2000)

[Search Selected](#)

[Search ALL](#)

[Clear](#)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<input type="checkbox"/> KR 2001097554 A	November 8, 2001		001	G06F017/60

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
KR2001097554A	April 24, 2000	2000KR-0021727	

INT-CL (IPC): G06 F 17/60

ABSTRACTED-PUB-NO: KR2001097554A

BASIC-ABSTRACT:

NOVELTY - A customized ordering system and method using three-dimensional body type information are provided to prompt more effective online commerce by solving refunds or a dissatisfaction of a user by producing a commodity designed by oneself and suitable for own body type according to the advice of a professional designer.

DETAILED DESCRIPTION - A body type information input unit receives three-dimensional body type information from a client. A database(230) stores various information such as three-dimensional body information data of the client, personal information data, and commodity information data, respectively. A payment control unit(260) controls a client certification and a payment system in order to process a payment of a corresponding price as a user purchases the commodity. A three-dimensional simulator control unit(280) forms a three-dimensional character according to the three-dimensional body information of the client and performs a simulation on a three-dimensional image by putting clothes selected by the user on the formed character. A central control unit(200) controls in the gross an order purchase system. The body type information input unit consists in a 3D scanner(210) installed in a predetermined place and a 3D scanner businessman(220) transmitting to a web server through a network by processing each personal body type information measured through the 3D scanner(210).

ABSTRACTED-PUB-NO: KR2001097554A
EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.1/10

DERWENT-CLASS: T01
EPI-CODES: T01-J05A;

First Hit

Generate Collection

Print

L46: Entry 1 of 7

File: JPAB

Feb 28, 2002

PUB-NO: JP02002063432A

DOCUMENT-IDENTIFIER: JP 2002063432 A

TITLE: SIGNBOARD BUSINESS MERCHANDISE MANAGEMENT SYSTEM AND SIGNBOARD BUSINESS
MERCHANDISE MANAGEMENT SUPPORTING SYSTEM

PUBN-DATE: February 28, 2002

INVENTOR-INFORMATION:

NAME

COUNTRY

HYODO, KEIRIN

ASSIGNEE-INFORMATION:

NAME

COUNTRY

ART TAIYO:KK

APPL-NO: JP2000252240

APPL-DATE: August 23, 2000

INT-CL (IPC): G06 F 17/60; G06 F 17/50

ABSTRACT:

PROBLEM TO BE SOLVED: To provide a merchandise management system enabling even a beginner to easily perform design and estimation so as to improve the complicated and various merchandise order reception forms requiring a lot of experiences of signboard business which is order receiving business and to provide a signboard business merchandise management supporting system using the Internet.

SOLUTION: This signboard business merchandise management system is provided with showroom data for indicating signboard samples in a tree structure, module data enabling determination even of the internal structure by selecting and inputting a dimension from a predetermined chart for the signboard sample positioned at the lowest order of the tree and estimation data corresponding to the module data, a design drawing is obtained by specifying the lowest order sample and selecting and setting a numerical value to the module data and an estimation amount is obtained together. This signboard business merchandise management supporting system is composed by connecting the data base of a center provided with each of the above data and the various kinds of members by the Internet.

COPYRIGHT: (C)2002, JPO

First Hit



Generate Collection

Print

L46: Entry 2 of 7

File: JPAB

Oct 9, 2001

PUB-NO: JP02001275701A

DOCUMENT-IDENTIFIER: JP 2001275701 A

TITLE: MANUFACTURING SYSTEM FOR ORDER MODEL SHOES UTILIZING INTERNET AND ITS METHOD

PUBN-DATE: October 9, 2001

INVENTOR-INFORMATION:

NAME

COUNTRY

LEE, KUN WOO

PARK, SAN KUN

LEE, BYUNG KYU

ASSIGNEE-INFORMATION:

NAME

COUNTRY

K & I TECHNOLOGY:KK

APPL-NO: JP2000403126

APPL-DATE: December 28, 2000

INT-CL (IPC): A43 B 1/02; G06 F 17/50; G06 F 17/60; G06 T 1/00; G06 T 17/20; H04 N 5/225

ABSTRACT:

PROBLEM TO BE SOLVED: To enable to promptly and easily manufacture shoes comfortable to an ordering customer when wearing.

SOLUTION: In an environment wherein sending and receiving of data are possible on the Internet, the manufacturing system and the manufacturing method comprise the following sections. A shape measuring means 10 which selects shape information about the foot of an ordering customer, a data sending section 15 which transmits the selected shape information to a manufacture on the Internet, a data receiving section 20 to receive the transmitted data, a storing means 25 to store the received shape information, a design section 30 for a remodelled last wherein, after creating a three dimensional shape model based on the shape information of the foot of an ordering customer that is extracted from the storing means 25, a three dimensional shape model of the remodelled last fitted for the customer's foot is created, by combining it with a three dimension shape model of a standard last, a design section 35 for upper leather pattern to decide the upper leather pattern, and a manufacturing section 40 for the remodelled last to manufacture the remodelled last using the three dimensional shape model of the remodelled last, created by the design section 35 for the remodelled last.

COPYRIGHT: (C)2001,JPO

First Hit

[Generate Collection](#)[Print](#)

L43: Entry 2 of 3

File: DWPI

Jul 25, 2002

DERWENT-ACC-NO: 2002-656230

DERWENT-WEEK: 200270

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Display hook, designing and pricing method for hanging display unit packages on freestanding rack, involves selecting length of hook based on depth of selected unit package using which bill is produced

INVENTOR: O'BRIEN, P

PATENT-ASSIGNEE: O'BRIEN P (OBR11)

PRIORITY-DATA: 2001US-0767754 (January 22, 2001)

[Search Selected](#)[Search ALL](#)[Clear](#)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<input type="checkbox"/> <u>US 20020099625 A1</u>	July 25, 2002		009	G06F017/60

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
US20020099625A1	January 22, 2001	2001US-0767754	

INT-CL (IPC): G06 F 17/60

ABSTRACTED-PUB-NO: US20020099625A

BASIC-ABSTRACT:

NOVELTY - A user selects a three dimensional display unit package among several packages, which has an opening with specific dimension for receiving a hook. A hook having a particular length for mounting the selected package on a preselected panel, is selected based on the depth of the selected unit package. A bill is generated for the selected number of hook.

USE - For designing and pricing display hooks for hanging display unit packages on slotted panel mounted on freestanding rack in retail store, over internet.

ADVANTAGE - Enables determining easily and automatically the number of display unit packages to be mounted on panel and the design of hook to be ordered over internet.

DESCRIPTION OF DRAWING(S) - The figure shows a graphical representation of a computer screen illustrating the step of selecting unit packages for preselected display panel.

ABSTRACTED-PUB-NO: US20020099625A

EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.11/11

DERWENT-CLASS: T01

EPI-CODES: T01-N01A;

First Hit

☐ [Generate Collection](#) [Print](#)

L43: Entry 1 of 3

File: DWPI

Feb 20, 2003

DERWENT-ACC-NO: 2003-392523

DERWENT-WEEK: 200337

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Internet-based customized package production method involves receiving printing order including package type and quantity and image to be printed, based on which desired image is printed on package

INVENTOR: SCHILLING, M K

PATENT-ASSIGNEE: SCHILLING M K (SCHII)

PRIORITY-DATA: 2001US-313073P (August 17, 2001), 2002US-0217275 (August 12, 2002)

[Search Selected](#)

[Search ALL](#)

[Clear](#)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<input type="checkbox"/> US 20030035138 A1	February 20, 2003		060	B41J001/00

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
US20030035138A1	August 17, 2001	2001US-313073P	Provisional
US20030035138A1	August 12, 2002	2002US-0217275	

INT-CL (IPC): B41 J 1/00; G06 F 15/00; H04 N 1/00

ABSTRACTED-PUB-NO: US20030035138A

BASIC-ABSTRACT:

NOVELTY - A printing order including the type and quantity of package and an image to be printed on the package, is received from a customer through Internet. The received printing order is processed and the image data is sent to a print head controller of printer, while the quantity and type of package data are loaded to the transportation portion of the printer which prints the desired image on the package.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for customized image printing method.

USE - For printing customized images on packages through Internet.

ADVANTAGE - Enables customers to control package selection, design, transporting and payment decisions through Internet, thereby allowing customers to fill the package orders electronically, at lower cost. Facilitates customers to vary the text and images in the printing order in any sequence or according to any

specification.

DESCRIPTION OF DRAWING(S) - The figure shows an explanatory view of a process for receiving, processing and managing customized package printing orders.

ABSTRACTED-PUB-NO: US20030035138A
EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.2A/32

DERWENT-CLASS: P75 T01
EPI-CODES: T01-J11D; T01-N01A2A; T01-N01A2E;

First Hit

End of Result Set

☐ **Generate Collection** **Print**

A

L43: Entry 3 of 3

File: DWPI

May 7, 2002

DERWENT-ACC-NO: 2002-672307

DERWENT-WEEK: 200272

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Method for purchasing tour package over internet

INVENTOR: PARK, B G

PATENT-ASSIGNEE: FURISM (FURIN)

PRIORITY-DATA: 2002KR-0016767 (March 27, 2002)

Search Selected

Search ALL

Clear

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<input type="checkbox"/> KR 2002033693 A	May 7, 2002		001	G06F017/60

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
KR2002033693A	March 27, 2002	2002KR-0016767	

INT-CL (IPC): G06 F 17/60

ABSTRACTED-PUB-NO: KR2002033693A

BASIC-ABSTRACT:

NOVELTY - A tour package purchase method is provided to analyze interrelations between CRM(Customer Relationship Management) and input data, and offer optimal tour packages to a customer in the priority order.

DETAILED DESCRIPTION - The method comprises steps of a user accessing a service site over the internet and passing a member authentication process(S1), the user selecting a menu of a tour package recommendation system(S2), the tour package recommendation system calling CRM data(S3), the user designating a priority order (S4), the user inputting detailed data on the priority order such as a tour cost, a tour period, a tour method, a tour purpose and others(S5), the system displaying optimal tour packages, offered by all the member tour companies, in the priority order(S6), the user selecting one among the displayed tour packages(S7), the user accessing a virtual reality system(S8), the user experiencing the virtual reality system on the selected tour package(S9), the user purchasing the selected tour package if the user is satisfied with the virtual reality on the selected tour package(S10), the system automatically generating a contract on the purchased tour package and transmitting the contract to the user(S11), and the system enabling the user to select others among the optimal tour packages in the priority order if the user is not satisfied with the virtual reality on the selected tour package(S12).

ABSTRACTED-PUB-NO: KR2002033693A
EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.1/10

DERWENT-CLASS: T01
EPI-CODES: T01-J05A;

First Hit

A

☐ [Generate Collection](#) [Print](#)

L46: Entry 4 of 7

File: DWPI

May 22, 2003

DERWENT-ACC-NO: 2003-633368
DERWENT-WEEK: 200360
COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Method and system for offering 3D jewelry in real-time through Internet

INVENTOR: KIM, B G

PATENT-ASSIGNEE: 3G SOFT CO LTD (THREN)

PRIORITY-DATA: 2001KR-0070284 (November 12, 2001)

[Search Selected](#)

[Search ALL](#)

[Clear](#)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<input type="checkbox"/> KR 2003039393 A	May 22, 2003		001	G06F017/60

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
KR2003039393A	November 12, 2001	2001KR-0070284	

INT-CL (IPC): G06 F 17/60

ABSTRACTED-PUB-NO: KR2003039393A

BASIC-ABSTRACT:

NOVELTY - A method and a system for offering 3D(Dimensional) jewelry in real-time through the Internet are provided to enable a client to make and order a peculiar jewelry by directly selecting a sort, a color, a size and a design of the jewelry through real-time 3D modeling.

DETAILED DESCRIPTION - A web site operator(30) offers the information making various kinds of jewelry in the real-time 3D modeling and various contents of the jewelry through the Internet network(20) via a web site. An operator server(40) manages and controls various databases offered by the web site operator(30), and offers the input/output of various data. A real-time 3D modeling server(50) makes the jewelry within 3D space in real-time. A jewelry 3D database(41) offers the information of the jewelry made by the real-time 3D modeling server(50). A user database(42) manages the user information. A client database(43) offers the information of the client.

ABSTRACTED-PUB-NO: KR2003039393A

EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.1/10

DERWENT-CLASS: T01

EPI-CODES: T01-J05B4P; T01-J10C4; T01-N01A2A; T01-N01D1B;

First Hit

End of Result Set

☐ **Generate Collection** **Print**

L46: Entry 7 of 7

File: DWPI

Jan 5, 2001

DERWENT-ACC-NO: 2001-430105
DERWENT-WEEK: 200146
COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Method for bidding construction using virtual reality

INVENTOR: JI, S J

PATENT-ASSIGNEE: JI S J (JISJI)

PRIORITY-DATA: 2000KR-0052886 (September 4, 2000)

Search Selected

Search ALL

Clear

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<input type="checkbox"/> KR 2001000291 A	January 5, 2001		001	G06F017/60

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
KR2001000291A	September 4, 2000	2000KR-0052886	

INT-CL (IPC): G06 F 17/60

ABSTRACTED-PUB-NO: KR2001000291A

BASIC-ABSTRACT:

NOVELTY - A method for bidding construction using a virtual reality is provided to reflect the intention of a building owner in preparation for design drawings from an initial design process, to make a tender for the construction to building companies based on the design drawings, and to connect between the building owner, a design company and a building company so that the best building can be constructed, by displaying the drawings on the internet in the virtual reality manner when the building owner selects them.

DETAILED DESCRIPTION - The building owner accesses a home page on the internet and requests the design of a building in order to determine the design company(1). The design company sends the design thereof to a management company of the home page via the internet, an e-mail and the like(2). The design proposals from the design company is stored in a database so that the building owner can search it(3). The building owner selects some of the design proposals and shows the selection on the home page(4). The selected designs are displayed by three dimensions on an online network(5). The building owner orders the design of the building to a finally selected building company(6).

ABSTRACTED-PUB-NO: KR2001000291A
EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.1/10

DERWENT-CLASS: T01
EPI-CODES: T01-J05A;